

Date 12.9.2025

## **Data Notice – connected product:**

Product name: OBV® Marine

Year of release: 2024

## Data generated by product:

Sensor:	Data generated:	Format and estimated volume of data:	API/SDK provided for accessing or using data:	Data can be generated continuously and in real time:	Storage of data and intended duration of retention
CO2 sensor	Cabin air quality measurement, used also for occupancy detection in some projects	Timestamped measurement value, logging interval 1/min.	Yes (see below)	Yes	Yes, data to be storage on local server located in the vessel. Local data storage is continuous until server memory starts to run out. After this, data the oldest data is overwritten with newest data.
Humidity sensor	Cabin wet space humidity measurement	Timestamped measurement value, logging interval 1/min.	Yes (see below)	Yes	Yes, data to be storage on local server located in the vessel. Local data storage is continuous until server memory starts to run out. After this, data the oldest data is



Date 12.9.2025

					overwritten
					with newest
_					data.
Occupancy	Cabin	Timestamped	Yes (see	Yes	Yes, data to
sensor	occupancy	measurement	below)		be storage on
		value, logging			local server
		interval 1/min.			located in the
					vessel. Local
					data storage
					is continuous
					until server
					memory
					starts to run
					out. After
					this, data the
					oldest data is
					overwritten
					with newest
					data.
Temperature	Room	Timestamped	Yes (see	Yes	Yes, data to
sensor	temperature	measurement	below)		be storage on
		value, logging	,		local server
		interval 1/min.			located in the
					vessel. Local
					data storage
					is continuous
					until server
					memory
					starts to run
					out. After
					this, data the oldest data is
					overwritten
					with newest
					data.

Note! Koja Oy customizes product deliveries for each customer, so the user's particular product may include only some of the above sensors; the above, exhaustive list assumes that all possible sensors are provided for the user's product.

**Accessing data:** Data can be accessed locally via vessels monitoring computer. Data can be transferred to external services if agreed separately.



Date 12.9.2025

Erasure of data: Can be deleted locally, see monitoring system operation instructions.